

# Class:-SYBBA(CA) -Semester IV

# **Subject :- Programming in Visual Basic**

# **Question Bank Multiple Choice Questions (MCQ)**

**Unit 1**:- Getting started with V. B.

1)t <mark>his</mark> contr <mark>ol i</mark> s use to display the images
a) image
b) combo
c) shape
d)text
2) To change the control's Shape using the property
a) image
b) combo
c) shape
d)text
3) Thebox is the standard control for accepting input from the user as well as to display the output
a) image
b) combo
c) shape
d)text



4) text box can handle string (text) and numeric data but not images or pictures
a) True
b) False
c) Both
d) none of these.
5) The is a very useful control for Visual Basic, as it is not only used to provide instructions and guides to the users, it can also be used to display outputs.  a) image b) combo c) Label d)text
6) One of its most important properties of lable is
a) background
b) caption
c) Label
d)text



7) One of its most important properties of text box is
a) background
b) caption
c) Label
d)text
8) The is one of the most important controls as it is used to execute commands.
a) command button
b) radio
c) Label
d)text
9) The most common event associated with the command button is the event,
a) click
b) change
c)double click
d)text



10) The	is one of the controls that is used to handle graphics
a) picture box	
b) combo	
c) Label	
d)text	
11) In Picture themetho	oox You can also load th <mark>e p</mark> icture at runtime using d.
a) picture box	
b) Load pictur	e
c) resize	
d)text	
•	cture=LoadPicture ("C:\VBprogram\Images\grape.gif") the picture box .
b) False	
c) Both	
d) none of the	ese.
13) The pictures a) image contr	_ Control is another control that handles images and
b) Load pictur	re
c) combo	
d)text	



14) The main property of Image Control is, a) resize
b) stretchable
c) list
d) caption
15) The main property of Picture Box, is LoadPicture and the picture . a) resize
b) stretchable
c) list
d) caption
16) The function of the is to present a list of items where the user can click and select the items from the list. a) listbox control
b)check
c) radio
d)text
17) in list box , In order to add items to the list, we can use themethod.
a) resize
b) stretchable
c) add-item
d) caption



18 ) in we present a list of items where the user can click and select the items from the drop-down list.
a) combo box
b)check
c) radio
d)text
19) The control lets the user selects or unselects an option we can select more than one option from the group. a) combo box
b)checkbox
c) radio
d)text
20) . When theis checked, its value is set to 1 and when it is unchecked, the value is set to 0. a) combo box
b)checkbox
c) radio
d)text
21) the main property of check box is a) list
b)check
c) value
d)text



22) The OptionButton control is used to selects one of the choices. its main property isvalue.
a) list
b)check
c) value
d)text
23) When an option box is selected, its value is set to "True" and when it is unselected; its value is set to "False". a) True
b) False
c) Both
d) none of these.
24) thecontrol is placed in the form together with six OptionButtons. To determine the shape of the shape control.
a) shape b) combo c) picture box d) images



25) The property values of the shape control are 0, 1, and 2,3,4,5 which will make it appear as a rectangle, a square, an oval shape, a circle, a rounded rectangle and a rounded square respectively.  a) True
b) False
c) Both a and b
d) none of these.
26) The is for displaying a list of drives available in your computer a) drive list box b) picture box c) list box d) dirlist box
27) When you place control into the form and run the program, you will be able to select different drives from your compute
a) drive list box b) picture box c) list box d) dirlist box
28) The means the Directory List Box. a) drive list box b) picture box c) list box d) dirlist box



29) is for displaying a list of directories or folders in a selected drive a) drive list box b) picture box c) file list box d) dirlist box
30) is for displaying a list of files in a selected drive or folder.
a) drive list box
b) picture box
c) file list box
d) dirlist box
<ul> <li>31) The variable can be a declared bystatement .</li> <li>a) dim</li> <li>b) var</li> <li>c) \$</li> <li>d) none of these.</li> <li>32) Following are the arithmetic operator .</li> <li>a) &lt;</li> <li>b) &gt;=</li> <li>c) mod</li> </ul>
d) >
33) Following are the condition operator .
a) OR b) and c) > d) <=>



34) Following are the logical operator
a) +
b) or
c)/ d) ?
35) Following are the concatenation operator
a)+
b) &
c) &&
d) none of theses
36) the logical operator xor is used when One side or other must be true but not both
a ) True
b) False
c ) Both true and false
d) none of these.
37) is used to take decision.
a) if condition
b) while loop
c) for loop
d) wend
38) if condition is end by
a) end if condition
b) next
c) stop
d) wend



39) In	if condition we can check more then one condition.
a) end if con	ndition
b) next	
c) stop	
d) nested	
40)	is used to check the condition with step by step by in this
also we the	c <mark>ondition mo</mark> re than one .
a) end if con	n <mark>dition</mark>
b) next	
c) else if lad	d <mark>er</mark>
d) nested	
,	
=======	

1(a)	2(c)	3(d)	4(a)	5(c)	6(b)	7(d)	8(a)	9(a)	10(a)
11(b)	12(a)	13(a)	14(b)	15(a)	16(a)	17(c)	18(a)	19(b)	20(b)
21(b)	22(c)	23(a)	24(a)	25(a)	26(a)	27(a)	28(d)	29(d)	30(c)
31(a)	32(c)	33(a)	34(b)	35(b)	36(a)	37(a)	38(a)	39(d)	40(c)



# Unit 2: Constants, Variables, Operators, Control Structure, Looping & Array

# **Question Bank Multiple Choice Questions (MCQ)**

1)structure can handle conditions w	vith multiple outcomes in
an easier manner	
a) select case control	
b) next	
c) if condition	
d) nested	
2) When you have a loop within a loop, then you	ou have created a
a) select case control	
b) next	
c) if condition d) nested loop	
u) liested loop	
3) in VB , The while loop is end by	
a) stop	
b) next	
c) wend	
d) nested	
4) in, first we check the condition , if t	he condition is true then
it execute the true statement.	
a) while	
b) do while	
c) if condition	
d) nested	



,	st we execute the true statement . then we check the condition is true then it again execute the true
6) in VB, The	first we check the condition, if the condition is tute the true statement same as while condition.
7) The function a) msgbox() b) inputbox() c) print d) nested	of is to give a pop-up message to the user.
8) An enter a value. a) msgbox() b) inputbox() c) print d) nested	function will display a message box where the user can



9) In VB , the number. a) sqrt() b) round() c) abs() d) Len()	is the function that computes the square root of a
10) In VB, number of decim a) sqrt() b) round() c) abs() d) Len()	is th <mark>e function that roun</mark> ds up a number to a certain al places.
11) In VB, number.	is the function that returns the absolute value of a
a) sqrt() b) round() c) abs() d) Len()	
	en function returns an integer value which is the length entence, including the empty spaces.
a) True	
b) False	
c) Both a and b	
d) None of these	<b></b>



13) In VB, The phrase or string	_function extracts a substring from the original
a) True	
b) False	
c) Both	
d) None of these	ACC
14) In VB, Thecapital letters.	function converts all the characters of a string to
a) str() b)Ucase() c)val () d) Len()	
15) In VB,The a) str() b) Ucase() c) val () d) Len()	_ is the function that converts a number to a string.
15) In VB the a) str() b) Ucase() c) val () d) Len()	function converts a string to a number.



16) ) In VB ,We can use Public or Dim statement to declare an array .
a) True
b) False
c) Both
d) None of these
17) in VB,is used to enter the more then one value in a single variable having same data types.
a) dim b) structure c) array d) variable
18) In VB, array is divided into 3 types., the second type is
a) single dimension
b) double dimension
c) poly dimension
d) multi dimension
19) . ADO stands for
a) ActiveX data objects
b) ActiveX variable objects
c) Another data object
d) none of these.



different programming languages.
a) True
b) False
c) Both
d) None of these
21) is insert from component, it is used to load ADO control.
a) Microsoft ActiveX Data Control 6
b) Microsoft Combo control 6
c) Microsoft data grid control.
d) None of these
22) To be able to access and manage a database, you need to connect the ADO data control to a database file.
a)true
b) false
c) Both
d) none of these



23)file ve	ry necessary to connect to the access data base file by
ADO.	
a) .mdb	
b) .cls	
c) .frm	
d) .acca	DACC
24) the	is a term commonly used in the programming world to
•	erface and environment that we use to create our
a)IDE	
b) tool bar	
c) menu bar	
d) none of these	e
25) in VB,all of the develo	is called integrated because we can access virtually opment tools
a)IDE	
b) tool bar	
c) menu bar	
d) none of these	



26) The Visual Basic IDE is made up of a number of components but following is not include it.
a) Menu Bar
b) Tool Bar
c)interpret
d) Properties window
27) format. In this format, the windows associated with the project will stay within a single container known as the parent. Code and form-based windows will stay within the main container form.
a)MDI
b)SDI
c) Form
d) code
28) The contains a set of controls that are used to place on a Form at design time thereby creating the user interface area. Additional controls can be included in the toolbox by using the Components menu item on the Project.
a)MDI
b)SDI
c) Menu bar
d) Toolbox



29) displays the commands that are required to build an
application. it is used to display the menus of the particular application
a)MDI
b)SDI
c) Menu bar
d) Toolbox
30) The is used to show quick reference to the various elements
of a project namely form, classes and modules
a)MDI
b)Project Explorer
c) Menu bar
d) Toolbox
31) The is show under or below the Project Explorer window
a) Properties Window
b)Project Explorer
c) Menu bar
d) Toolbox



32) The show the various characteristics of selected controls.	d objects o
a) Properties Window	
b)Project Explorer	
c) Menu bar	
d) Toolbox	
33) in Visual Basic has characteristics such as color shape, font style, background colour, width, height etc.	r and size,
a) Properties Window	
b)Project Explorer	
c) Object	
d) Object Browser	
34) Theallows us to browse through the various events and methods that are made available to us	properties,
a) Properties Window	
b)Project Explorer	
c) Object	
d) Object Browser	



are open from the View menu or pressing the key F2. The left column of the Object Browser lists the objects and classes that are available in the projects
a) Properties Window
b)Project Explorer
c) Object
d) Object Browser
36) Object Browser are open from theor pressing the key F2. The left column of the Object Browser lists the objects and classes that are available in the projects
a) view menu
b)tool menu
c) insert menu
d) Object Browser
37) All Code in Visual Basic is stored in the form of
a) Properties Window
b)module
c) Object
d) Object Browser



38) There are 3 type of modules following are not include in it.
a) Form Modules,
b) Standard Modules
c) Class Modules.
d) Basic Module.
39) The extension of class module is
a).cls
b) .frm
c) .Pvb
d) .mdb
40) The long form of SDI is
a) Multiple Document Interface
b)Single Document interface
c) Single data interface
d) system document interface



1(a)	2(d)	3(c)	4(a)	5(b)	6(a)	7(a)	8(b)	9(a)	10(b)
11(c)	12(a)	13(a)	14(b)	15(a)	16(a)	17(c)	18(b)	19(a)	20(a)
21(a)	22(a)	23(a)	24(a)	25(a)	26(c)	27(a)	28(d)	29(c)	30(b)
31(a)	32(a)	33(c)	34(d)	35(d)	36(a)	37(b)	38(d)	39(a)	40(b)

# **Unit 3:-** Working with Controls

# **Question Bank Multiple Choice Questions (MCQ)**

1) The long form of MDI is
a) Multiple Document Interface
b)Single Document interface
c) Single data interface
d) system document interface
2) is used to work as parents, its main property is mdi child, all the forms are open within MDI
a) Multiple Document Interface
b)Single Document interface
c) Single data interface
d) system document interface
3) MDI is used to work as, its main property is mdi child, all the forms are open within MDI
a)Parents
b)child
c) form
d) menu



4) MDI is used to work as parents, its main property is, all the forms are open within MDI
a)MDI child
b)multiple
c) list
d) background
5) In VB , . A returns a value and a Sub Procedure does not return a value.
a)function procedure
b) sub procedure
c) MDI
d) SDI
6) In VB , . A Function procedure returns a value and a does not return a value.
a)function procedure
b) procedure
c) MDI
d) SDI



7) A is	used to create and manipulate custom properties. It is
used to create rea	ad only properties for Forms
a)function proce	dure
b) procedure	
c) MDI	
d) SDI	
•	ard modules and Class modules. provides three kind of ares but following not include in this
a) Property Let p	rocedure
b) Property Get 1	procedure
c) Property Set p	rocedure
d) Property post	procedure
9) As per the syll	abus we study version of VB is
a) 6.0	
b) 4.0	
c) 6.22	
d) 3.33	



10)	Displays a list of items from which a user can select one.
a) List box	
b) radio	
c) check box	
d) none of the	se
-	control which is a part of an option group allows the only one option even it displays multiple choices.
a) List box	
b) radio	
d) check box	
d) none of the	se
12)	Executes the timer events at specified intervals of time
a) List box	
b) radio	
c) check box	
d) timer contr	ols



<ul> <li>13) Use to store alphanumeric values. A variable length str store approximately 4 billion characters</li> <li>a) String</li> <li>b) Boolean</li> <li>c) variant</li> <li>d) date</li> </ul>	ing can
14) is the default Visual Basic data type a) String b) Boolean c) variant d) date	
15) . In Visual Basic if we declare a variable without any data type this the data type is assigned as default  a) String b) Boolean c) variant d) date	by
16) A variable declared as type can store both values a can store date values 01/01/0100 up to 12/31/9999  a) String b) Boolean c) variant d) date	ınd it
17)data types hold either a true or false value a) String b) Boolean c) variant d) date	



18) when we Declaring a variable before programming start it is called						
asit tells Visual Basic to reserve space in memory. a) Explicit Declaring b) implicit declaring c) public declaring						
						d) local declaring
						19)var <mark>iab</mark> les ar <mark>e n</mark> ot reinitialize <mark>d e</mark> ach time Visual Invokes a
procedure and therefore retains or preserves value even when a						
procedure ends						
a) static						
b) public						
c) Local						
d) general						
20) when we declare the variable in of VB then it is public variable						
a) static						
b) public						
c) Local						
d) general						
, •						
ANTIS ASIA CONTACTOR						
21) when we declare the variable in a Particular control of vb then it is						
21) when we declare the variable in a Particular control of vb then it is variable .						
variable.						
a) static						
a) static b) public						



22) The	selection structure allows the p	rogrammer to specify that
a different acti	on is to be performed when the	condition is True than
when the cond	ition is False.	
a) if thenel	se	
b) do while		
c) Dynamic arr	ay	
d) array	-	
23) In	_: The size of the array can be c	hanged at the run time-
size changes d	uring the program execution.	
a) if thenel	se	
b) do while		
c) Dynamic arr	ay	
d) array		
24) In	_: The <mark>size of</mark> array always rema	ains the same-size doesn't
change during	the program execution.	
a) if thenel	se	
b) do while		
c) Dynamic arr	ay	
d) fixed array		
	CHEST PRODUCTION	
25) we set the		
a) object brow		
b) form layout		
c) window stat		
d )property wi	ndow	
26)	and to also any the Comme has	this Cours was a sub-
•	ere to show the form by	this form property
a) object brow	Sei	
b) form layout		
c) window stat		
d) none of the	ese	



27) extension of project of vb is  1).vbp 2) .frm 3) .bmp 4) .vb
28) extension of form of vb is 1).vbp 2) .frm 3) .bmp 4) .vb
29) we set the form property by maximize the window or minimize the window by a) window state property b) view property c) object browser d) none of these
30) is an activity that occurs during program execution such as mouse click or keystroke.  a) event b) module c) code d) property
31)code in vb is stored in the form of a) module b) form c) .vbp d) none of these



- 32) vb is an ----in which one can develop, run, test & debug applications.
- a) Object based programming language
- b)Script language
- c) mobile application
- d) none of these
- 33) are collections of small iconic button that resides in a Menu-bar
- a) tool bar

DACC

- b) command button
- c) menu bar
- d) tool box
- 34).--- array size can be changed at run time.
- a) dynamic
- b) fixed
- c) single dimension
- d) double dimension
- 35).---is the process of finding & removing errors.
- a) debugging
- b) error finding
- c) processing
- d) non of these
- 36) The default property for a command control is ----
- a) caption
- b)text
- c) list
- d) background



37) VB is tool that allows you to develop application in
a)real time
b)GUI
c)character
d)none of these
38)object browser is used for finding out about object, properties & methods.
a)form layout window
b)code editor window
c)object browser
d)none of these
39)In vb variable name cannot be more than characters
a)255
b)300
c)355
d)4000

- 40)The function procedures are --- by default
- 1)public
- 2)private
- 3)protected
- 4)none of these

1(a)	2(a)	3(a)	4(a)	5(a)	6(b)	7(b)	8(d)	9(a)	10(a)
11(b)	12(d)	13(a)	14(c)	15(c)	16(d)	17(b)	18(a)	19(a)	20(b)
21(c)	22(a)	23(c)	24(d)	25(d)	26(b)	27(a)	28(b)	29(a)	30(a)
31(a)	32(a)	33(c)	34(a)	35(a)	36(a)	37(b)	38(c)	39(a)	40(a)



# Unit 4: Working with ActiveX Controls & Menus

# **Question Bank Multiple Choice Questions (MCQ)**

•	
1) In vb	is the extension to represent project file.
a).frm	
b).vbp	
c).cls	
d).vb	
2)is data typmillion.	pe th <mark>at can be u</mark> sed to declare a text of maximum 10
a)date	
b)long	
c)numeric	
d)string	ANTO MINISTER STATE OF THE STAT
3)The variable program is	that does not change the value during execution of
a)numeric	
b)string	
c)constant	
d)none	



4)is collection of files.
a)class
b)group
c)file
d)folder
5)The methods which loads the form into memory it on screen.
a)load
b)show
c)display
d)all of above
6)The code in an application can be broken into logical component by process
a)modular
b)procedural
c)partitioning
d)none of these



7)Vb allows programmers to define a data type before start the program it is called
a) explicit
b)implicit
c) dim
d) none of these
8)VB allows programmers to without the declaring data type before start
the program it is called
a) explicit
b)implicit
c) dim
d) none of these
9) Variables are used to temporarily store data during execution of application.
a) true
b) false
c) both
d) none of these



10)A variable is scoped to a global or local variable depending on how it is declared.
a) true
b) false
c) both
d) none of these
11) is the process of putting two string together.
a) concatenation
b) grouping
c) remove
d) none of these
12)Which type of array requires two indexes to identify a particular element.
(a)single dimensional array
(b)two dimensional array
(c)multidimensional array
(d)none of these



13) The size of array can be changed at run-time size changes during program execution is called
(a)static array
(b)dynamic array
(c)both a and b
(d)none of these
14) .which symbol is used to concatenate two string?
(a)==
(b)&
(c)>=
(d)all of above
15) which of the following is not type of operator?
(a)arithmetic
(b)assignment
(c)concatenate
(d)control



16) is non-numeric data type.
(a)byte
(b)integer
(c)long
(d)date
17) The main Property of check box is
a) check
b) value
c) stretch
d) load picture
18) The main Property of radio button box is
a) check
b) value
c) stretch
d) load picture
19) property is used set width and height of images .
a) check
b) value
c) stretch
d) load picture



20) Stretch property is used setof images .
a) width and height
b) border
c) color
d) load picture
21) What is the use of OLE
a) we can link to the other application
b) we can remove the other application
c) we can adjust the application
d) none of these
22) The main Property of label box is
a) check
b) value
c) caption
d) load picture
23) The main Property of picture box is
a) check
b) value
c) caption
d) picture



24) Progress bar is always work withcontrol.
a) text box
b) Timer
c) menu
d) none of these.
25) To menu editor is available inbutton of the mouse
a) left
b) right
c) got focus
d) none of these
26) To create the status bar the first we have to insert
a) Picture box
2) Images box
3) Label box
4) none of these



27)	_menu is open by right button of the mouse .
a) Short cut men	u
b) Popup menu	
c) Sub menu	
d) none of these	
28) To create me	nu on MDI form, we have to select
a) View code	
b) menu editor	
c) Images	
d) Lock control	
29) status bar is	display at theof the mdi forms.
a) bottom	
b) top	THE VALUE OF THE PARTY OF THE P
c) dim	
d) frame	
30) Toolbar is di	splay at the of the mdi form.
a) bottom	
b) top	
c) dim	
d) frame	



31) To declare the variable in vbthis key word is used
a) bottom
b) top
c) dim
d) frame
32) is used to differentiate the one redio button group to another
radio button group.
a) bottom
b) top
c) dim
d) frame
33) inbox & can edit in run time
a) text box & combo box
b) list and combo
c) label and text
d) all of these.
34)Ms Access is used to
a) Store data
b) display data
c) create data
d) None of these



35) ADODC is used to
a) link to database
b) Create database
c) link with window
4) none of these
36)The data control s used to link
a) oracle
b) ms-excel
c) Ms-access
d) none of these
37) Following properties is use full to link ms-access in ADODC.
a) Data source
b) Caption
c) text
d) list



38)	VB	is	the exam	ple of		software
-----	----	----	----------	--------	--	----------

- a) Backhand
- b) front end
- c) O.S
- d) none of these.
- 39) The main property of ADODC control property is \_\_\_\_
- a) data source
- b)caption
- c) text
- d) none of these.
- 40) The IDE include all widow property, form, project, form layout.
- a) true
- b) false
  - c) both
  - d) none of these

1(b)	2(d)	3(c)	4(d)	5(c)	6(b)	7(a)	8(b)	9(a)	10(a)
11(a)	12(b)	13(b)	14(b)	15(d)	16(d)	17(a)	18(b)	19(c)	20(a)
21(a)	22(c)	23(d)	24(b)	25(a)	26(b)	27(b)	28(b)	29(a)	30(b)
31(c)	32(d)	33(a)	34(a)	35(a)	36(c)	37(a)	38(b)	39(a)	40(a)

# **Unit 5: Working With Database**

# Question Bank Multiple Choice Questions (MCQ)

1) MS-access or oracle is the example ofsoftware.
a) back end
b) front end
c)mathematic <mark>al</mark>
d) none of these
2) The include all widow property, form, project ,form layout.
a) IDE
b) ADODC
c) msaccess
d) none of these
ATTENDED TO STATE OF THE PARTY
3) is used to link to the data base
a) ADODC
b) data base
c) MDI
4) none of these



4) Inbox we can edit in run time
a) text box
b) list and combo
c) label and text
d) all of these.
5)is used to differentiate the one redio button group to another
radio button group.
a) frame
b) top
c) dim
d) list
6) Progress bar is always work with timer control.
a) true
b) false
c) both
d) none of these



,
7) What is the use of OLE
a) we can link to the other application
b) we can remove the other application
c) we can adjust the application
d) none of these
8) .which symbol is used to concatenate two string?
(a)==
(b)&
(c)>=
(d)all of above
9) .which of the following is type of operator?
(a)if condition
(b)loop
(c)select case

(d)Arithmetic



10) is non-numeric data type.
(a)byte
(b)integer
(c)long
(d)date
11) .the size of array can not be changed at run-time size changes during program execution is called
(a)static array
(b)dynamic array
(c)both a and b
(d)none
12).which type of array requires one indexes to identify a particular element.
(a)single dimensional array
(b)two dimensional array
(c)multidimensional array
(d)none of these




13)is the process of finding & removing errors.
a) debugging
b) error finding
c) processing
d) none of these
14) VB is an
a) Object based programming language
b)Script language
c) mobile application
d) none of these
15) In The size of the array can be changed at the run time- size
changes during the program execution.
a) if thenelse
b) do while
A Drug and a square
c) Dynamic array
d) array
u) urruy
WILLIAM CONTROL FOR
16) Theis show under or below the Project Explorer window
a) Properties Window
u) 110p 011100
b)Project Explorer
a) Manu hau
c) Menu bar
d) Toolbox



17) The is used to show quick reference to the various elements of a project namely form, classes and modules
a)MDI
b)Project Explorer
c) Menu bar
d) Toolbox
18) The Visual Basic IDE is made up of a number of components, which one is not?
a) Menu Bar
b) compiler
c) Project Explorer
d) Properties window
19)is insert from component, it is used to load ADO control.
a) Microsoft ActiveX Data Control 6
b) Microsoft Combo control 6
c) Microsoft data grid control.
d) None of these



DACC



d) all of these.





24) fr	ame is used to o	differentiate the	one radio	button group	to another
radio	button group.				

- a) true
- b) false
- c) both a and b
- d) none of these

25) which symbol is used for equal purpose?

- (a) ==
- (b)&
- (c)>=
- (d)all of above

26).---- is numeric data type.

- (a)string
- (b)Boolean
- (c)long
- (d)date



27).which type of array requires one indexes to identify a particular element.
(a)single dimensional array
(b)two dimensional array
(c)multidimensional array
(d)none of these
28) vb is an a) Object based programming language b)Script language c) mobile application d) none of these
29) InThe size of the array can be changed at the run time- size changes during the program execution.  a) true
b) false
c) both
d) none of these
30) The is show above the Properties Window
a) Properties Window
b)Project Explorer
c) Menu bar
d) Toolbox





31) Microsoft ActiveX Data Control 6 is insert from component,	, it is
used to load ADO control.	

- a) true
- b) false
- c) both
- d) none of these
- 32) The Project Explorer is used to show quick reference to the various elements of a project namely form, classes and modules
- a) true
- b) false
- c) both
- d) none of these
  - 33)---- is date data type.
  - (a)string
  - (b)Boolean
  - (c)long
  - (d)date

34) single dimensional array	requires one indexes to identify a
particular element.	
a) true	

- b) false
- c) both a and b
- d) none of these
- 35) The most common event associated with the command button is the Click event,
- a) true
- b) false
- c)both a and b
- d)none of these
- 36) The main property of Image Control is stretchable,
- a) true
- b) false
- c)both a and b
- d)none of these



37) The main property of, is LoadPicture and resize the picture .
a) picture
b) text
c) list
d) form
38) in Combo Box is we present a list of items where the user can click and select the items from the
a)Drop down list
b)list
c) text box
d) label box
39) Following are not the arithmetic operator.
a) mod
b) <=
c) + d) /

- 40) Following are the not condition operator.
- a) >
- b) <
- c) <>
- d) mod

1(a)	2(a)	3(a)	<b>4</b> (a)	5(a)	6(a)	7(a)	8(b)	9(d)	10(d)
11(a)	12(a)	13(a)	14(a)	15(c)	16(a)	17(b)	18(b)	19(a)	20(b)
21(c)	22(c)	23(d)	24(a)	25(a)	26(c)	27(a)	28(a)	29(a)	30(b)
31(a)	32(a)	33(d)	34(a)	35(a)	36(a)	37(a)	38(a)	39(b)	40(d)

AULI STATE OF THE STATE OF THE